



RS232_1 Device2->Uart0




RS232_3

Device4->Uart4




RS232_2

Device1->Uart3




RS232_4


Device3->Uart5





RS232_5



Device5->Uart7




Device6->Uart6








RS485 Or RS232 二选一






RS485通信->Uart2



RS485复选->Uart1





A

B

C


D

A



B

C


D





16路AD接口




Pin	Signal	Pin	Signal
ETH0	ETH0	ETH16	ETH16
ETH1	ETH1	ETH17	ETH17
ETH2	ETH2	ETH18	ETH18
ETH3	ETH3	ETH19	ETH19
ETH4	ETH4	ETH20	ETH20
ETH5	ETH5	ETH21	ETH21
ETH6	ETH6	ETH22	ETH22
ETH7	ETH7	ETH23	ETH23
ETH8	ETH8	ETH24	ETH24
ETH9	ETH9	ETH25	ETH25
ETH10	ETH10	ETH26	ETH26
ETH11	ETH11	ETH27	ETH27
ETH12	ETH12	ETH28	ETH28
ETH13	ETH13	ETH29	ETH29
ETH14	ETH14	ETH30	ETH30
ETH15	ETH15	ETH31	ETH31




Ethernet




DIP




RTC




SD



JTAG



PRESSURE, TEMPERATURE & HUMIDITY



INERTIAL MEASUREMENT